

The letter a: the letter a. IS defined, it is NOT relax,
 The dollar: math shift character \$. IS defined, it is NOT relax,
 The upcaret: superscript character ^. IS defined, it is NOT relax,
 The underscore:subscript character `. IS defined, it is NOT relax,
 macro fud: macro:-jFUD. IS defined, it IS cs-defined, it is NOT relax, and
 it IS @defined.
 macro foo: undefined. is NOT defined, it is NOT cs-defined, it is NOT relax,
 and it is NOT @defined.
 After the @ifundefined, however: “relax. IS defined, it IS cs-defined, it IS
 relax, but it is still NOT @defined.
 Try again, without the @ifundefined. macro fuu: undefined. is NOT defined,
 it is NOT cs-defined, and it is NOT relax.
 After testing, however: undefined. is still NOT defined, it is still NOT
 cs-defined, and it is still NOT relax.
 [test1], After ifx csname concoction: “relax. IS defined, it IS cs-defined,
 and it IS relax.
 Let zonk to relax: “relax. IS defined, it IS cs-defined, it IS relax, and it is
 NOT @defined.
 Let zoob to a undefined token: undefined. is NOT defined, it is NOT cs-
 defined, it is NOT relax, and it is NOT @defined.
 Let zoon indirectly to a undefined token: undefined. is NOT defined, it is
 NOT cs-defined, it is NOT relax,
 Now, let that initial token to relax: undefined. is NOT defined, it is NOT
 cs-defined, it is NOT relax, Ie. no change: the chain was ‘collaped’.
 Let zook to a plain letter: the letter a. It expands to ‘a’. IS defined, it IS
 cs-defined, it is NOT relax, and it IS @defined.